# Technical data sheet
# CARO 90

OPTIONS

| | |
|---|---|
| **Firebox door** | |
| Steel door | ✓ |
| Glass door | ✓ |
| **Side window** | |
| Without side window | ✓ |
| Two side windows | ✓ |
| **Wood storage panel** | |
| With wood storage panel | ✓ |
| **Coating** | |
| Black | ✓ |
| Platinum | ✓ |
| Mocha | ✓ |
| Nickel | ✓ |
| Sand | ✓ |
| **Handles** | |
| Oak wood black | ✓ |
| «classic» | ✓ |
| Stainless steel | ✓ |
| Corian® | ✓ |
| Calf leather brown | ✓ |
| Calf leather black | ✓ |
| Oak nature | ✓ |
| **Top plates** | |
| Steel 8 mm | ✓ |





ATTIKA FEUER AG I Brunnmatt 16 I CH-6330 Cham I Tel. +41 41 784 80 80 I info@attika.ch I www.attika.ch

# Technical data sheet
# CARO 90

| Air control | |
|---|---|
| Manual | ✓ |
| **Air-system** | |
| for room air independent installation | ✓ |

PRODUCT INFORMATION

| Weight depending on model/equipment | |
|---|---|
| Weight depending on model/equipment | 90 kg |
| **Ø Smoke outlet** | |
| Ø Smoke outlet | 150 mm |
| **Ø Air inlet** | |
| Ø Air inlet | 100 mm |
| **Flue pipe outlet** | |
| Top | ✓ |
| Rear | ✓ |
| **Certifications** | |
| Energy efficiency class | A |
| Multiple occupancy | ✓ |
| Eco Design | ✓ |
| European standard | EN 16510 |
| MINERGIE® compatible | ✓ |
| DIBt | Z-43.12-425 |
| BImSchV | Stufe 2 |
| Flamme Verte | ✓ |
| Classe energetica di appartenenza | 4 Stelle |



ATTIKA FEUER AG I Brunnmatt 16 I CH-6330 Cham I Tel. +41 41 784 80 80 I info@attika.ch I www.attika.ch

# Technical data sheet
# CARO 90

SERVICES

| Thermal output | |
|---|---|
| Nominal heat output | 5.5 kW |
| Fuelwood requirement | 1.7 ≈ kg/h |
| Energy efficiency | ≥75 % |
| Combustion air requirement | 12.5 $m^3$/h |
| **Triple values** | |
| Exhaust gas mass flow | 4.5 g/s |
| Exhaust temperature | 350 °C |
| Minimum flue draught | -13 Pa |
| **Fire safety** | |
| Dust at 13 % O2 | ≤40 mg/$Nm^3$ |
| CO emission at 13 % O2 | ≤0.12 % |
| CO emission at 13 % O2 | ≤1500 mg/$Nm^3$ |
| OGC at 13 % O2 | ≤120 mg/$Nm^3$ |
| NOx at 13 % O2 | ≤200 mg/$Nm^3$ |

Note
The declaration of performance in French contains the values for France.
Please note the declarations of performance in the other languages.



ATTIKA FEUER AG I Brunnmatt 16 I CH-6330 Cham I Tel. +41 41 784 80 80 I info@attika.ch I www.attika.ch

# Technical data sheet
# CARO 90

Safety distances:

Information on safety distances can be found in the installation manual.

Note:

Please observe the national/regional regulations for floor protection.



ATTIKA FEUER AG I Brunnmatt 16 I CH-6330 Cham I Tel. +41 41 784 80 80 I info@attika.ch I www.attika.ch